



Duroflo Pumps

A SYNONYM FOR DURABILITY



DOP1532

OPENWELL SUBMERSIBLE PUMP

Duroflo Pumps offers a cutting-edge line of Openwell Submersible Pumps, setting a new standard for efficient water extraction. Designed with precision and reliability in mind, these pumps seamlessly integrate into open wells, delivering a powerful performance for agricultural irrigation, domestic water supply, and more.



WIDE VOLTAGE
RANGE OPERATION



NO PRIMING
ISSUES



100% COPPER
WINDING



GUARANTEED
PERFORMANCE



24
MONTHS
WARRANTY



HIGHLY
DURABLE

www.duroflopumps.com

OPENWELL SUBMERSIBLE PUMP



Duroflo Pumps introduces Open well Submersible Pumps, a testament to efficiency and reliability in water extraction. Designed for open wells and tanks, our pumps deliver powerful performance for agricultural and domestic applications. With durable construction and easy installation, Duroflo ensures a dependable water pumping solution.



MATERIAL OF CONSTRUCTION

WINDING	100% Copper
SHAFT	Stainless Steel
IMPELLER	High Tensile Brass
BODY	Stainless Steel and Cast Iron Body
STAMPING	Low Watt Less Silicon

TECHNICAL SPECIFICATIONS

HORSEPOWER (HP)	1.2KW 1.5HP
SPEED	2880 RPM
TYPE OF DUTY	S1 CSCR CONTINUOUS DUTY
PIPE SIZE	40MM X 32MM
PHASE	AC SINGLE PHASE 220V & AC THREE PHASE 440V
EFFICIENCY	40%
FREQUENCY	50Hz
MODEL NO.	DOP1532

PERFORMANCE DATA

FLOW RATE (LPM)	336	309	296	274	253	219	197
HEAD (MM)	10	14	18	20	24	28	32





Duroflo Pumps

A SYNONYM FOR DURABILITY



Self Priming Monoblock Pumps | Openwell Submersible Pumps |
Pressure Booster Pumps | Borewell Submersible Pumps |
Sewage Submersible Pumps | Sewage Submersible Cutter Pumps